

Solutions for CP Exercises, October 30

1. Solution for Andrews Ex. 8.9

- (a) A solution giving priority to writers is shown in [Andrews p.388] using the facility to query the number pending calls of an operation *op* to block readers when there are pending writers.
- (b) A fair solution can be obtained from the above solution by explicitly processing the readers inbetween the writers. Using our notation, we get:

```

module ReadersWriters
  op read(var T);
  op write(T);
body

  op startread();
  op endread();

  var val : T;

  proc read(var r : T)
    startread();
    r := val;
    endread()

  process Writer =
    var nr : integer := 0;
    repeat
      in startread() and ?write = 0 → nr := nr + 1
      [] endread() → nr := nr - 1
      [] write(v : T) and nr = 0 → val := v
      while ?startread > 0 do
        in startread() → nr := nr + 1 ni
    ni
  forever;
end ReadersWriters;

```

2. Solution for Andrews Ex. 8.10

If

```
call FileServer[i].remote_write(values)
```

is replaced by

```
send FileServer[i].remote_write(values)
```

the solution will no longer work. Since `remote_write` is serviced by RPC, the remote updates on the same node may now overlap. Even if the updates were serviced in order by a write server, the write lock might still be released before all updates were done and subsequent read would not see the proper values.