

IMM - DTU

02405 Probability  
2005-10-29  
BFN/bfn

Assuming the microbes are randomly distributed we apply the

IMM - DTU

02405 Probability

2005-10-29

BFN/bfn

Assuming the microbes are randomly distributed we apply the Poisson distribution.

IMM - DTU

02405 Probability  
2005-10-29  
BFN/bfn

Assuming the microbes are randomly distributed we apply the Poisson distribution. The parameter of the Poisson distribution is found using the

IMM - DTU

02405 Probability  
2005-10-29  
BFN/bfn

Assuming the microbes are randomly distributed we apply the Poisson distribution. The parameter of the Poisson distribution is found using the Poisson Scatter Theorem

IMM - DTU

02405 Probability  
2005-10-29  
BFN/bfn

Assuming the microbes are randomly distributed we apply the Poisson distribution. The parameter of the Poisson distribution is found using the Poisson Scatter Theorem p. 230 t., thus

IMM - DTU

02405 Probability  
2005-10-29  
BFN/bfn

Assuming the microbes are randomly distributed we apply the Poisson distribution. The parameter of the Poisson distribution is found using the Poisson Scatter Theorem p. 230 t., thus  $5,000 \cdot 10^{-4}$

IMM - DTU

02405 Probability  
2005-10-29  
BFN/bfn

Assuming the microbes are randomly distributed we apply the Poisson distribution. The parameter of the Poisson distribution is found using the Poisson Scatter Theorem p. 230 t., thus  $5,000 \cdot 10^{-4} = 0.5$ .

IMM - DTU

02405 Probability  
2005-10-29  
BFN/bfn

Assuming the microbes are randomly distributed we apply the Poisson distribution. The parameter of the Poisson distribution is found using the Poisson Scatter Theorem p. 230 t., thus  $5,000 \cdot 10^{-4} = 0.5$ . Applying this we get

IMM - DTU

02405 Probability  
2005-10-29  
BFN/bfn

Assuming the microbes are randomly distributed we apply the Poisson distribution. The parameter of the Poisson distribution is found using the Poisson Scatter Theorem p. 230 t., thus  $5,000 \cdot 10^{-4} = 0.5$ . Applying this we get

$$P(\text{at least one microbe})$$

IMM - DTU

02405 Probability  
2005-10-29  
BFN/bfn

Assuming the microbes are randomly distributed we apply the Poisson distribution. The parameter of the Poisson distribution is found using the Poisson Scatter Theorem p. 230 t., thus  $5,000 \cdot 10^{-4} = 0.5$ . Applying this we get

$$P(\text{at least one microbe}) = 1 - e^{-0.5}$$

IMM - DTU

02405 Probability  
2005-10-29  
BFN/bfn

Assuming the microbes are randomly distributed we apply the Poisson distribution. The parameter of the Poisson distribution is found using the Poisson Scatter Theorem p. 230 t., thus  $5,000 \cdot 10^{-4} = 0.5$ . Applying this we get

$$P(\text{at least one microbe}) = 1 - e^{-0.5} = 0.3935$$